

# CATALOGUE

Painting tools

ECOLOR®  
EXPERT



There's a pro  
in everyone

## WallStar 2.0

- Specially processed and stabilized Polyamide continuous fibre, 3 red stripes, lint-free
- For use with wall and ceiling paints
- High paint absorption and transfer for best labor efficiency
- For a very fine surface finish
- Long-life and easy to clean



XpertErgo

... für ergonomisches Arbeiten

XpertFinish

... für perfekte Oberflächenqualität



... für einfaches und schnelles Arbeiten



... für nachhaltiges Arbeiten





*There's a pro  
in everyone.*



# Our philosophy

## „There is a PRO in everyone!”



### End user orientation

COLOR EXPERT knows the needs of the end user in terms of painting tools - and develops products, based on these needs. Our end-user studies show: They expect a high-quality result; It is important that the products are attractive and harmless for both humans and nature. They expect to be quickly informed at the POS system and guided to the right product. We consistently orient ourselves towards these requirements of end users - with our products and presentations.

### Product innovations

We constantly developing our painting tools. The decisive factor is: to provide a work result like a professional. We are in permanent discussions with professional painters and the paint industry. Our products are always tailored to the current status of paints and applications. We also attach great importance to modern and ergonomic design and high-quality materials during our product developments.

### Sustainability

We use consistent tested materials for production of our painting tools. They provide the base for high quality and guarantee contaminant-free, harmless products, which meet all legal and customer-specific requirements. From handles to paint grids or roller covers, we pay attention to sustainable production. We manufacture our brush handles from FSC®-certified woods, as part of our responsibility for nature and consumer.


### Manufacturing competence

With our own production facilities and more than 125 years of experience, we present the highest level of competence in the development and manufacture of painting tools. Our paint roller production is the largest in Europe. All our production processes are subject to strict quality controls and continuous improvement processes. This is how we guarantee consistently a high level of quality.



Our FSC® certified products are simple to identify by this logo.

Sign of responsible forest management



# Content

## Masking, Fastening

20

Masking when painting, varnishing and glazing walls  
Masking when plastering and painting walls  
Masking when laying carpets  
Other adhesive tapes and accessories  
Covering fleece, covering foils and covering paper

## Surface preparation, Wallpapering

32

Remove paint  
Sanding  
Work safety and cleaning  
Filling and smoothing  
Remove old coverings  
Fixing tapes  
Work aids  
Knives, blades and scissors

## Wood staining

52

Paint rollers, refills and sets  
Brushes, wall brushes and brush sets

## Varnishing

60

Paint rollers, refills and sets  
Brushes, wall brushes and brush sets  
Artist brushes

## Painting walls

68

Paint rollers, refills and sets  
Brushes, wall brushes and brush sets  
Replacement frames  
Telescopic poles  
Painter's grids, paint trays and buckets  
Stirring rods  
Ceiling brushes

## Accessories

82

Replacement frames  
Telescopic poles  
Paint trays

## Promo items

86

# Efficiency

## Painting tools - like a professional

During development of our products and conception of our assortments, we consistently focus on the needs of our customers - our partners in retail as well as the end-users. We are in close contact with the paint industry, our raw material suppliers – e.g., filament manufacturers - and professional painters. Latest findings from the paint industry as well as the experiences of professional users flow directly into our product development. Therefore, the end users work with our painting tools like from the professional.

## Own production facilities

We produce in our own production facilities. Our paint roller production in Pelhimov (CZ) is the largest in Europe. The automatic production systems are state-of-the-art and enable us to produce efficiently.

## State-of-the-art production processes

We manufacture paint rollers for all requirements and applications with the most modern production methods. Our extrusion machines produce 12.75 million meters of inner tubes for rollers every year. Our brush manufacturing line ensures maximum efficiency. Also, the plastic components and plastic products are produced fully in our multi-component full automatized plastic injection molding machines. Permanent quality controls guarantee a constant high level of quality.

## Reliable delivery times

With our logistic and sales locations across Europe and Asia, we are always close to our customers. We operate logistic centers all over Europe: from Latvia to Spain, from Great Britain to Uzbekistan. In this way we ensure the highest quality of supplies and short delivery times.



### Storch-Ciret Group in numbers



Employees	approx. 1.400
Production and warehouse area	40.000 qm
Production output per year	<ul style="list-style-type: none"> <li>&gt; 10 million of paintbrushes</li> <li>&gt; 160 million of paint refills / rollers</li> <li>&gt; 225 million of plastic products</li> <li>&gt; 25 million of roller handles</li> <li>&gt; 8 million of CoverQuick products</li> </ul>





**Production sites**

- Berka, Germany
- Pelhřimov, Czech Republic
- Beijing, China
- Zhejiang, China



# Unique display concept

## Intuitive consumer guidance. Safe decision.

Optimal customer guidance = satisfied customers. Tests showed: safely guided consumers buy up to 15% more, and higher quality products. COLOR EXPERT ensures that the end customers can easily orientate themselves in the store and can make their decisions quickly. The POS concept guides everybody easily from the pre-defined application fields through the specific applications to the right product.

## Quick orientation. Optimal presentation.

Safe guidance of end user is continued in product design and on the packaging. Easily understandable pictograms and modern icons provide intuitive information about possible applications and product features. The end users will quickly find exactly what they need to achieve perfect work results.

## Less costs. High profitability.

Our intuitive customer guidance and POS information materials relieves the sales force. The customers find the right product on the shelf themselves. Your work force needs = costs are reduced - and customer satisfaction is increased at the same time.

## The colour coding system from COLOR EXPERT

The color coding system from COLOR EXPERT assigns clearly defined colors to different working areas. The colors are based on our natural, familiar color spectrum: purple, blue, green, yellow and red. The respective area of application is properly identified and signed by color coding. Application pictograms in corresponding colors support the structuring of different application areas in respective working steps.





# The function of the POS elements

*There is a pro in everyone.*

The closer the end user gets to the product, the greater knowledge he obtains. The targeted placement of related items strengthen cross-selling effects.

## Head displays


The colour, text and key visuals on head displays identify the respective product area.

## Vertical banner

Colour-coded vertical banners lead end users to respective application field even in narrow aisles. They also draw attention to high-quality products. This improves the overall result - for end user and retailer.

## Horizontal banner

Horizontal banners structure the assortment of the respective working steps. The products are divided into reasonable product segments. In this way, you safely guide the end customers to the right segment.





**Wallpapering**

- For precisely Etting finishes when wallpapering and laying carpet
- For aligns on butt, with light and strong protrusion
- Including pressure ruler to secure the material to be cut against slipping.



- Scrap-off Knife: plastic body with 2k handle
- Metal blade guide and automatic blade feeding.
- Recharge with 3 blades is included
- Art. Nr. 95 85 25 99



- ... for full-size free work XpertErgo
- ... for perfect surface results XpertFinish
- ... for quick and easy work XpertSpeed
- ... for sustainable work XpertPlanet

**Wallpapering**

**Varnishing**



**WoodStar**

- For an 80% more coverage with less paint consumed
- Automatic blade protrusion for perfect finish
- New arrangement of bristles for maximum working speed



- ... for full-size free work XpertErgo
- ... for perfect surface results XpertFinish
- ... for quick and easy work XpertSpeed
- ... for sustainable work XpertPlanet

**Wood staining**



**EvotStar**

- For an 80% more coverage with less paint consumed
- Automatic blade protrusion for perfect finish
- New arrangement of bristles for maximum working speed



**CoatStar**

- For an 80% more coverage with less paint consumed
- Automatic blade protrusion for perfect finish
- New arrangement of bristles for maximum working speed



**Varnishing**

There's a pro in everyone

# Safe to make a purchase decision



With COLOR EXPERT, the end user is safely guided on his way to right purchase decisions - and fully supported on his project with appropriate painting tools.



## 1. The range

- Thanks to vertical banners, the application field is clearly visible from faraway distance, even in narrow aisles.
- The clear assignment of paints and application field clearly shows to the end customer: here I am right.
- Head displays confirm the application fields on each module.
- The key visual is the end user's identification figure. He recognizes himself in it.



## 2. The surface

- Horizontal banners guide our end user to the right painting tools for his/her respective surface (smooth, rough, coarse).
- Live sample of surface pattern and the corresponding roller gives him/her a certainty at choosing the tool.
- The end user is properly advised - without further advice needs.



## 3. The quality

- Better-Best Icons guide the end user to right choice of a product quality.
- The arrangement of different qualities follows the usual HPP, MPP, OPP direction from top to bottom.

# The modules "Painting walls and facades"



## Painting walls

The end user knows exactly what he is up to: painting walls. The head panel leads him to the right shelf.

## Immediately in the right segment

Based on the surface & better-best icons on the displays, the customer can easily find the tool he needs - in the quality he wants.


## Easy choice

Which roller to use on which surface? With the horizontal banner, the end user will be properly guided to the right painting tools according to his respective surface (smooth, rough, coarse). He will get important information to make the right decisions when buying. Samples of Surface patterns and roller samples help the choice of the optimal tool.



## Properly sorted. Optimal guided.

The different tools in the field "Painting walls" are in the three modules clearly sorted: from brushes and rollers to handles trays. Surface patterns on the baskets make the choice of rollers easier. Live samples of rollers, placed in front of the roller allows customers to touch & feel the product before buying it.



# The module "Varnishing"



## Varnishing

Knowing where: Thanks to our colour-coding system, the end user knows immediately where to find the tool for her/his varnishing job.

## Immediately in the right segment

Smooth or rough surface? And what quality? Using the information about different surface and the Better-Best icons on the panels, end customer can easily find the proper tool he needs.



## Simple solution: the 2 in 1 principle

The end user wants simple solutions. COLOR EXPERT offers it: with universal tools that are just as suitable for solvent-based paints as for water-based paints. Will this roller be working with my paint? Can I use this paint brush again even though I don't know anymore which paint I bought it for? End customer neither wants to nor has to deal with such questions - thanks to our 2 in 1 concept from COLOR EXPERT.

## The highlights

Great surface results thanks to our unique products UniStar and EvoStar: The vertical divider draws the customer's attention to special products at POS: End customer is encouraged to choose the high-quality products.



# The module "Wood staining"




## Wood Staining

Looking for a tool for wood preserving? The head display confirms by glance to your customer that the customer is in the right spot.



### Smooth or profiled wood?

Woodstain tools for different types of wood, each in better and best quality. Information on the panels immediately give the answers.



## The highlights

The WoodStar is a multiple award-winning woodstain brush. The narrow vertical divider draws the customer's attention to top product at POS - without taking up space in the aisle.



# The modules "Sanding" and "Wallpapering"



## A module for every work step

Sanding or wallpapering: The header panels show your customer in which module they will find the corresponding tool.

## The highlights

The best way to present the top products for the work steps is via vertical dividers. Eye-catchers that catch the eye without getting in the way.

## Immediately in the right segment

The panels separate the different product areas. Tools for the levelling step are shown separately.





# The modules „Masking and covering“



## A module for every work step

One module for fleece and foils, one module for adhesive tapes. Head panels offer the best orientation.

## Immediately in the right segment

The banners in the shelves ensure horizontal orientation and separate the wide assortment of whole masking into the different product groups.

Plastering

Painting

## Quickly informed, certainly decide

Which surface? Inside or outside? For days or weeks? With a help of our navigator system on the vertical bannner, your customer can find out quickly and easily which masking product is the best suitable for his planned application.



### Fixing band

Outdoor, transparent



- Wind and waterproof as well as weatherproof adhesive tape.
- Suitable for bonding glass, steel, aluminium and ceramics.

### Fixing band

Indoor, white



- Mirror tape with strong adhesive on both sides for hanging heavier objects such as tiles or mirrors.
- Moisture-resistant, so it can also be used in the bathroom and kitchen.

### Warning tape

Red/white





# Xpert icons

## Showing what you can do: Xpert icons

Ergonomically optimized handling, perfect surface results, fast work, sustainable product - our "Xpert icons" enable the end user to constantly check what differentiates various products.



**XpertErgo**

**XpertErgo** stands for perfect handling. The ergonomic shape of the tool is optimally adapted to the user. He can work gently to his hands and without getting tired soon.



**XpertSpeed**

**XpertSpeed** stands for high working speed. Such tools enable the user to work quickly and easily.



**XpertFinish**

**XpertFinish** stands for a perfect working result. Tools with this icon enable an excellent surface finish.



**XpertPlanet**

**XpertPlanet** stands for sustainable products. For example, we use wood only from sustainable forest industry.



# Surface icons


## The choice of the tool became easier

Not all rollers are the same, not all brushes are the same - and the choice is huge. The structure of the substrate plays a decisive role in the selection of the ideal tool. With our substrate icons, we make it easy for the end user to find the right product.

Is the substrate smooth, rough or coarse? That's all your customer needs to know. They simply follow the surface icons at the POS. Then he always has the perfect tool in his hand. And a perfect result.

## Smooth, rough or coarse

The surface structure is decisive for choosing the right tool: smooth, rough, coarse - the substrate icons provide orientation.



## Better-Best-Icons

Consistently sorted: We present our range in all areas according to product quality.

At the top you will find the highest quality and price class (HPP), below it the middle class (MPP) and at the bottom the entry-level segment (OPP).



### Four-star product in silver

The product range segments with products from the medium quality and price segment are labelled with silver Better icons at the POS.



### Five-star product in gold

Golden Best icons on the POS panels show your customers: Here you will find products for the highest demands.

# Application tips




## XpertTIPS

COLOR EXPERT passes on its expertise in professional painting tools to private users - also online: QR codes can be found at the POS and on the products, which lead you and your customers to valuable XpertTIPS from COLOR EXPERT. Helpful application tips that make work easier and improve results.



# Masking Fastening





**Info:** Natural rubber. Thermal stability 60°C (max. 60 min.).  
Can remain on the surface for up to 3 days.

Art.-Nr.	Height	Length	Color	Core	VE
96691899	18 cm	20 m	Beige/brown	10cm	6

## Cover paper with masking tape



**Info:** For indoor use on smooth substrates. Can stay on the surface up to 7 days. Electrostatically treated masking film sticks well to surface.

Art.-Nr.	Height	Length	Color	Core	VE
96805699	55 cm	33 m	Beige/transparent	10 cm	6
96814099	140 cm	33 m	Beige/transparent	20 cm	6
96819099	270 cm	16 m	Beige/transparent	20 cm	5

## Cover film with masking tape



**Info:** Washy thin rice-paper tape for indoor use on smooth substrates. Can stay on the surface up to 60 days. Electrostatically treated masking film sticks well to surface.

Art.-Nr.	Height	Length	Color	Core	VE
96785099	55 cm	25 m	Gold/transparent	10 cm	5
96786099	140 cm	25 m	Gold/transparent	20 cm	5
96787099	270 cm	16 m	Gold/transparent	20 cm	5

## Cover film with masking tape



**Info:** The high quality tape is perfect suitable for masking of plastered surfaces by plastering or painting. For indoor and outdoor use on rough substrates. Can stay on the surface up to 21 day. Electrostatically treated masking film sticks well to surface.

Art.-Nr.	Height	Length	Color	Core	VE
96745599	55 cm	20 m	Light blue/transparent	10 cm	5
96741499	140 cm	20 m	Light blue/transparent	20 cm	5
96742799	270 cm	16 m	Light blue/transparent	20 cm	5

## Cover film with reinforced tape






## Paper Masking Tape



**Info:** For a good result on smooth indoor surfaces.  
Can stay on the surface up to 7 days. Natural rubber adhesive.

Art.-Nr.	Width	Length	Color	VE
96012499	24 mm	50 m	Beige	36
96013699	36 mm	50 m	Beige	24
96014899	48 mm	50 m	Beige	24

## Paper Masking Tape



**Info:** For simple indoor painting tasks. Remove within 12 hours

Art.-Nr.	Width	Length	Color	VE
96000310	29 mm	25 m	Beige	32
96000410	36 mm	25 m	Beige	24
96000510	48 mm	25 m	Beige	24





**Info:** The high quality acrylate rice-paper provide best result.  
For indoor and outdoor use on smooth substrates.  
60 days resistance to UV rays.

Art.-Nr.	Width	Length	Color	VE
96052699	25 mm	50 m	Gold	10
96053999	38 mm	50 m	Gold	6
96055299	50 mm	50 m	Gold	5

## Masking Tape GoldLine



**Info:** The high quality acrylate rice-paper.  
For indoor and outdoor use on smooth and sensitive substrates.  
90 days resistance to UV rays.

Art.-Nr.	Width	Length	Color	VE
96093199	30 mm	50 m	Purple	8
96093999	38 mm	50 m	Purple	8


## Masking Tape SensitiveLine



**Info:** The high quality acrylate rice-paper. For indoor and outdoor use on smooth substrates. 120 days resistance to UV rays.

Art.-Nr.	Width	Length	Color	VE
96072699	25 mm	50 m	Red	10
96073999	38 mm	50 m	Red	6
96075199	50 mm	50 m	Red	5

## Masking Tape RedLine





## PVC Masking Tape flexible, smooth



**Info:** PVC tape with medium thickness and medium adhesion for plastering and spackling. Suitable for smooth and rough surfaces. Can stay on the surface up to 14 days. Natural rubber adhesive.

Art.-Nr.	Width	Length	Color	VE
96115199	50 mm	33 m	Orange	6

## PVC Masking Tape Crosswise



**Info:** PVC Tape cross-grooved for plastering and spackling, suitable for smooth and rough surfaces. The tape provides protection against mechanical stresses. The maximum sticking time is 14 days. Solvent rubber adhesive.

Art.-Nr.	Width	Length	Color	VE
96105099	50 mm	33 m	Yellow	6

## Reinforced Concrete Masking Tape



**Info:** High quality tape protects the surface from damage during plastering and painting. For indoor and outdoor use on coarse surfaces. 14 days UV resistance. Suitable for working with high pressure washers and sandblasters.

Art.-Nr.	Width	Length	Color	VE
96184499	44 mm	50 m	Yellow	4







**Info:** High quality tape protects the surface from damage during plastering and painting. For indoor and outdoor use on rough surfaces. 21 days UV resistance.

Art.-Nr.	Width	Length	Color	VE
96225099	50 mm	25 m	Light blue	4


## Reinforced Plastering Masking Tape



**Info:** High quality tape protects the surface from damage during plastering and painting. For indoor and outdoor use on smooth surfaces. 14 days UV resistance.

Art.-Nr.	Width	Length	Color	VE
96153099	48 mm	25 m	Blue	6

## Reinforced Plastering Masking Tape





## Covering foil sheet HDPE



**Info:** Translucent. Folded.

Art.-Nr.	Thickness	Size	VE
96901610	0,0045 mm	4 x 4m	20
96905010	0,0045 mm	4 x 12.5m	40
96940510	0,010 mm	4 x 5m	20
96941210	0,010 mm	4 x 12.5m	10

## Covering foil sheet LDPE



**Info:** Translucent. Folded.

Art.-Nr.	Thickness	Size	VE
96941810	0,018 mm	4 x 5 m	30
96922010	0,040 mm	4 x 5 m	10

## Covering foil sheet



**Info:** HDPE transparent, folded on roll

Art.-Nr.	Thickness	Size	VE
96910010	0,010 mm	2 x 50 m	1

## Covering paper roll



**Info:** For simple covering of big surfaces.

Art.-Nr.	Density	Size	VE
96999810	90 g/m <sup>2</sup>	1 m x 20 m	5



**Info:** For masking small surfaces such as window sills, radiators or door frames. Easy and quick application thanks to the self-adhesive backing.

Art.-Nr.	Density	Size	VE
96992099	50 g/m <sup>2</sup>	22,5 cm x 20 m	3


## Covering paper self-adhesive



**Info:** Suitable for covering and protection of floors, carpet and furniture in drywall, scaffolding, renovation, relocation, painting and plastering work. Slip resistant, solventresistant. Absorbent surface, waterproof back. Reusable.

Art.-Nr.	Density	Size	VE
94261017	220 g/m <sup>2</sup>	1 x 10 m	1

## Covering fleece



**Info:** LDPE protective door with L-shaped doublesided zip. Optimal protection against dust during construction and finishing works. Quick and easy installation with adhesive tape. Reusable. For door openings up 60 cm wide.

Art.-Nr.	Thickness	Size	VE
96962215	0.1 mm	120 x 220 cm	1

## Protective zipper door LDPE transparent



**Info:** With C-shaped double sided zip. The dust protection door is suitable for all activities in which adjacent rooms are to be protected from dust or dirt. The application is qualified for renovations, electrical or sanitary work, painting or various woodwork. Quick and easy installation with adhesive tape. Reusable.

Art.-Nr.	Thickness	Size	VE
96962015	0.1 mm	120 x 220 cm	

## Protective zipper door fleece





## Mounting tape Outdoor



**Info:** Double-sided transparent adhesive tape with high adhesive strength. Ideal for permanent fixing to glass, steel, aluminium, ceramics and plastic. Wind-, water- and weather-resistant. Highly resilient

Art.-Nr.	Width	Length	Color	VE
96611999	19 mm	5 m	Transparent	4

## Mounting tape Indoor



**Info:** Double-sided polyethylene tape on a foam base. High quality acrylic adhesive with high adhesion strength. Suitable for permanent fixing of objects with a flat surface.

Art.-Nr.	Width	Length	Color	VE
96441999	19 mm	5 m	White	10

## Carpet Tape with Cloth Carrier



**Info:** Double-sided tape with strong adhesive power. Synthetic resin glue. Suitable for permanent bonding of carpets and floor coverings with reinforced carpet base.

Art.-Nr.	Width	Length	Color	VE
96414999	50 mm	10 m	White	6
96415099	50 mm	25 m	White	6

## Carpet Tape with Foil Carrier



**Info:** Film-based double-sided adhesive tape. Synthetic resin adhesive with high adhesive strength. Suitable for permanent fixing of reinforced floor coverings.

Art.-Nr.	Width	Length	Color	VE
96405099	50 mm	10 m	Transparent	6
96405199	50 mm	25 m	Transparent	6





**Info:** Suitable for all weather conditions. Inconspicuous reinforcement and repair of broken glass, greenhouses and canvases. Useful for repairing cracks on short notice. Transparent and flexible. Water-resistant and highly resilient.

Art.-Nr.	Width	Length	Color	VE
96174899	48 mm	25 m	Transparent	6

## Repair tape transparent



**Info:** For repairing and fixing on dry surfaces. Very strong fabric tape.

Art.-Nr.	Width	Length	Color	VE
96284999	50 mm	10 m	Black	6
96285099	50 mm	50 m	Black	6

## Repair tape with strong fixation



**Info:** High-strength, medium-thickness, fabric-reinforced repair tape. All purpose tape designed to fix, bond, repair, mount and seal. Heat-melting adhesive based on artificial rubber with medium adhesion.

Art.-Nr.	Width	Length	Color	VE
96214810	48 mm	10 m	Grey	3
96215010	48 mm	50 m	Grey	3

## Duct tape





## Crack covering tape



**Info:** For repairing small cracks and joints in interior areas.

Art.-Nr.	Width	Length	Color	VE
96305099	50 mm	10 m	White	6

## Packing tape



**Info:** Very strong polypropylene tape for wrapping cardboard boxes. Acrylic adhesive with strong adhesive power.

Art.-Nr.	Width	Length	Color	VE
96504810	48 mm	66 m	Brown	24
96514810	48 mm	66 m	Transparent	24

## Mesh-tape self-adhesive



**Info:** Tape for dry walls, self-adhesive. Acrylic adhesive

Art.-Nr.	Width	Length	Color	VE
96312010	48 mm	20 m	White	6
96315010	48 mm	90 m	White	6





**Info:** Self-adhesive tape for marking, space delimitation and hazard warning.  
Also for labelling fragile transported goods.

Art.-Nr.	Width	Length	Color	VE
96556099	60 mm	66 m	Yellow/Black	3

## Barrier tape yellow-black self-adhesive



**Info:** Without adhesive layer.  
For marking, space delimitation and hazard warning.

Art.-Nr.	Width	Length	Color	VE
96566199	80 mm	100 m	Red/White	4

## Barrier tape red-white




**Info:** Self-adhesive tape for marking, space delimitation and hazard warning.  
Also for labelling fragile transported goods.

Art.-Nr.	Width	Length	Color	VE
96566099	60 mm	66 m	Red/White	3

## Barrier tape red-white self-adhesive





# Surface preparation Wallpapering





**Info:**Stainless Steel, comfortable handle. Multipurpose use: performs functions of scraper, chisel, nail puller, paint can opener, roller and brush cleaner

Art.-Nr.	Width	VE
91517599	75 mm	6

### Multi-purpose Putty Knife



**Info:**Straight edge, with 2 sided blade. Ergonomically formed 2-component handle. Aluminium body. For removing old paint or repairing uneven plaster. Includes 4 blades

Art.-Nr.	Width	VE
93726199	50 mm	6

### Paint Remover Scraper



**Info:**Stainless steel blade. The length of the blade can be adjusted.

Art.-Nr.	Width	VE
93800599	100 mm	10

### Paint Scraper



**Info:**For paint removing. Includes 3 blades.

Art.-Nr.	Width	VE
93800199	60 mm	10

### Paint Scraper





# Surface preparation

Sanding

**E** COLOR<sup>®</sup>  
**EXPERT**



## Wire Brush



**Info:** Metal brush with wooden handle

Art.-Nr.	Size	VE
93400410	-	12

## Multifunction Scratch Brush



**Info:** Brass scratch brush with plastic handle

Art.-Nr.	Size	VE
93410010	-	10

## Hand Sander SandMaster



**Info:** Foam rubber coating. Strong quick-release clamps for reliable fixation of grinding paper and fast material replacement. Ergonomic ball-shaped handle. Rubber pad.

Art.-Nr.	Size	VE
93380299	178x86 mm	5
93380499	212x105 mm	5

## Hand Sander



**Info:** Suitable for working with telescopic pole. Felt pad.

Art.-Nr.	Size	VE
93340099	228x82mm	5

## Hand Sander



**Info:** The hand sander has plastic base handle with screw metal clamp. Rubber pad.

Art.-Nr.	Size	VE
93330110	225x100 mm	2



**Info:** Silicon carbide grain  
Glass fibre mesh prevents clogging by abrasive dust.  
Suitable for hand sanders.

Art.-Nr.	Length	Width	Height	Grain	VE
93150810	280 mm	115 mm	-	P80	10
93151210	280 mm	115 mm	-	P120	10
93151810	280 mm	115 mm	-	P180	10

### Sanding Mesh



**Info:** Dual-edge design for concave profiles, edges and profiles  
Ideal for light stock removal and final sanding preparation before paint. Aluminium oxide.  
High wear resistance. Abrasiveness P220.

Art.-Nr.	Length	Width	Height	Grain	VE
93306099	100 mm	70 mm	25 mm	P220	10

### Sanding sponge bevelled



**Info:** Ideal for sanding profiled or rounded surfaces.  
Aluminium oxide. High wear resistance.

Art.-Nr.	Length	Width	Height	Grain	VE
93305099	100 mm	70 mm	25 mm	fine/middle	10
93305299	100 mm	70 mm	25 mm	middle/coarse	10

### Sanding Sponge on a soft base



**Info:** Ideal for sanding profiled or rounded surfaces.  
Aluminium oxide. High wear resistance. 2 sided.

Art.-Nr.	Length	Width	Height	Grain	VE
93308099	150 mm	100 mm	28 mm	fine/middle	4
93308199	150 mm	100 mm	31 mm	middle/coarse	4

### Sanding Sponge on a soft base





### Synthetic cleaning sponge



**Info:** For cleaning surfaces

Art.-Nr.	Length	Width	Height	VE
90320199	160 mm	90 mm	50 mm	4

### Synthetic Sponge fine/coarse



**Info:** For cleaning of surfaces and to sponge off any excess grout that had been smeared onto the surface of the tile

Art.-Nr.	Length	Width	Height	VE
90301010	150 mm	90 mm	60 mm	10

### Synthetic Sponge



**Info:** For cleaning of surfaces and to sponge off any excess grout that had been smeared onto the surface of the tile

Art.-Nr.	Length	Width	Height	VE
90340010	150 mm	100 mm	50 mm	10

### Viscose Sponge



**Info:** For cleaning of surfaces and to sponge off any excess grout that had been smeared onto the surface of the tile.

Art.-Nr.	Length	Width	Height	VE
90310010	150 mm	110 mm	35 mm	5

### Plastering Roller Refill Nylon

16 mm 48 mm Ø 8 mm



**Info:** Nylon refill for quick and homogeneous application of fillers, adhesives and other highly viscous materials on all types of substrates.  
Performance up to 30 m<sup>2</sup> per hour due to very easy and efficient use. For frames with 8 mm wire diameter.

Art.-Nr.	Width	Core	Pile Height	VE
84202510	25 cm	48 mm	16 mm	5



**Info:** Stainless steel, ergonomic handle. For putting drywall joints. The cross bit allows screw tightening without having to take another tool. Elastic properties of the blade are due to the flexibility of metal. The metal is thicker at the handle base and thinner at the end of the blade. The cross bit can be changed.

Art.-Nr.	Width	VE
91508599	150 mm	12



### Spatula with Cross Bit



**Info:** Flexible stainless steel blade. Comfortable 2-component plastic handle.

Art.-Nr.	Width	VE
91714010	40 mm	12
91716010	60 mm	12
91718010	80 mm	12
91719910	100 mm	12



### Spatula



**Info:** Flexible stainless steel blade. Comfortable plastic handle. Elastic properties of the blade are due to the flexibility of metal. The metal is thicker at the handle base and thinner at the end of the blade.

Art.-Nr.	Width	VE
91130499	40 mm	12
91130699	60 mm	12
91130899	80 mm	12
91131099	100 mm	12



### Spatula



**Info:** Stainless Steel. Plastic handle

Art.-Nr.	Width	VE
91090410	40 mm	12
91090610	60 mm	12
91090810	80 mm	12
91091010	100 mm	12



### Spatula





# Surface preparation

Plastering

**E** COLOR<sup>®</sup>  
**EXPERT**



## Facade Spatula



**Info:** Finishing putty rubber squeegee for smoothing and finishing. Rounded rubber lip for quick and easy smoothing. Ergonomic 3-component handle for safe and pleasant handling

Art.-Nr.	Width	VE
91342699	250 mm	3

## Facade Spatula



**Info:** Stainless steel blade. Rounded edges. The comfortable three-component plastic handle. Heavy-duty aluminium profile.

Art.-Nr.	Width	VE
91342510	250 mm	5
91344010	400 mm	5
91346010	600 mm	5

## Facade Spatula



**Info:** Stainless Steel. Plastic handle

Art.-Nr.	Width	VE
91331510	150 mm	10
91332510	250 mm	10
91333510	350 mm	5
91334510	450 mm	5
91336010	600 mm	5

## Filling Spatula Set



**Info:** Stainless steel. Plastic holder. 4 Sizes.

Art.-Nr.	Width	VE
91000499	50/80/100/120 mm	10



**Info:**Stainless steel blade, fixed at 7 points.  
Waxed wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92150210	480 mm	130 mm	0.7 mm	1

### Swiss Trowel



**Info:**Stainless steel blade. Ergonomic waxed wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92141099	280 mm	130 mm	0.7 mm	5

### Trowel



**Info:**Stainless steel blade. Waxed wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92179999	100 mm	-	0.7 mm	5

### Plasterer's Trowel



**Info:**Stainless steel blade. Waxed wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92161699	160 mm	-	1 mm	5

### Plasterer's Trowel



**Info:**Stainless steel blade. Waxed wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92160210	185 mm	-	-	10

### Brick Laying Trowel





### Cat's tongue trowel



**Info:** The cats tongue trowel is the ideal tool for the carrying out of plaster works. Stainless steel. Wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92181910	140 mm	-	0.7 mm	10

### Joint trowel



**Info:** Is used to imprint grooves into freshly filled mortar joints as they begin to set. Stainless steel. Wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92190110	-	10 mm	-	10

### Internal Corner Trowel



**Info:** Stainless steel blade. With lacquered finish wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92180010	80 mm	60 mm	-	100

### External Corner Trowel



**Info:** Stainless steel blade. With lacquered finish wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92180910	80 mm	60 mm	-	100





**Info:** Thick plastic blade Waxed wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
92110010	280 mm	140 mm	3 mm	5

## Plastering Trowel for Decoration



**Info:** High quality polyurethane. For plastering work.

Art.-Nr.	Length	Width	Thickness	VE
92402810	280 mm	140 mm	-	5
92403210	320 mm	180 mm	-	5

## Polyurethane Grater



**Info:** 9mm foam rubber facing. For tile grouting.

Art.-Nr.	Length	Width	Sponge height	VE
92214010	280 mm	140 mm	9 mm	5

## Plastic Float



**Info:** 18mm high density foam rubber facing.  
For spreading plaster. It creates an uneven surface and ideal conditions for joining the next layer of plaster.

Art.-Nr.	Length	Width	Sponge height	VE
92414010	280 mm	140 mm	18 mm	2

## Plastic Float





## Plastic Float



**Info:** 30mm hydro sponge facing. Suitable for washing tiles.

Art.-Nr.	Length	Width	Sponge height	VE
92254010	280 mm	140 mm	30 mm	2

## Notched trowel



**Info:** Stainless steel. Plastic handle

Art.-Nr.	Length	Width	Teeth dimension	VE
94060610	270 mm	130 mm	6x6 mm	5
94060810	270 mm	130 mm	8x8 mm	5
94061010	270 mm	130 mm	10x10 mm	5

## Grout Squeegee



**Info:** With a rubber spreader that spreads the grout evenly and injects grout between the tiles as it is spread across the joint. Wooden handle.

Art.-Nr.	Length	Width	Thickness	VE
94081810	-	180 mm	-	10

## Rubber Spatula



**Info:** For tile grouting

Art.-Nr.	Length	Width	Thickness	VE
94080510	-	50mm	-	10
94081010	-	100 mm	-	10
94081510	-	150 mm	-	10



**Info:** Reliable quality. Lacquered steel body.  
Durable construction.  
For standard cartridges.

Art.-Nr.	Size	VE
94104010	310 ml	6

## Caulking Gun Skeleton



**Info:** Smooth rod. Lacquered steel body.  
For standard cartridges.

Art.-Nr.	Size	VE
94101010	310 ml	12

## Caulking Gun Semi-case



**Info:** Ratchet rod. Galvanized steel.  
For standard cartridges.

Art.-Nr.	Size	VE
94108010	310 ml	6

## Caulking Gun Semi-case



**Info:** For thick materials, glue, putty, building mixtures.  
Very robust construction.  
Zinc-plated steel.

Art.-Nr.	Width	Height	Maximum Load	VE
94371517	80 mm	400 mm	10 kg	6
94372017	100 mm	400 mm	20 kg	6

## Mixer



**Info:** Flexible plastic for comfortable use and easy cleaning.  
Optimally suited for mixing plaster and gypsum mixtures.

Art.-Nr.	Width	Height	VE
94091110	150 mm	50 mm	10

## Plaster bowl low



**Info:** Plastic needles. Permanent fixed handle. Used for rolling out and removing trapped air in thick polyester and epoxy resin paints, coatings and screeds.

Art.-Nr.	Width	Frame	Thorn Height	VE
86942499	24 cm	8 mm	11 mm	1

## Air removing roller





## Painter's overall



**Info:** For protection against dust, sprays and liquid splashes during painting and plastering works. With protective hood. With ankle, arm and waist bands

Art.-Nr.	Size	VE
98680110	56 - 58 XL	10

## Dust half mask FFP1



**Info:** In polyethylene bag. Provides protection of respiratory organs at the content of harmful substance in the air in the amount of up to 4 MPC. Retains at least 80% of harmful impurities. Used for protection against coarse, non-toxic dust, water- and oil-based aerosols. EU certificate: EN149:2001 + A1:2009

Art.-Nr.	Pieces	VE
98614099	2	5

## Dust half mask FFP2 with valve



**Info:** Retains up to 95% of airborne pollutants up to 12 MPC. Reliably protects against fine dust and medium toxic solid and liquid aerosols. Exhalation valve makes breathing easier. EU certificate: EN149:2001 + A1:2009

Art.-Nr.	Pieces	VE
98625099	1	10

## Protective goggles



**Info:** Non-fogging. Transparent. 4 flaps for ventilation. EU certificate: EN166:2001

Art.-Nr.	Pieces	VE
98640017	1	6

## Protective goggles Craftsman



**Info:** Length-adjustable shackle. Transparent protective side panels. EU certificate: EN166:2001

Art.-Nr.	Pieces	VE
98650099	1	6



**Info:** Breathable polyester gloves with polyurethane coating for painting work.  
EU certificate: Cat.2 / EN388

Art.-Nr.	Size	VE
98540310	10 XL	12

## Gloves SensoGrip



**Info:** Large dots provide a secure grip when working.  
Water-repellent material on the palm side.  
EU certificate: Cat.2 / EN388

Art.-Nr.	Size	VE
98530310	10 XL	12

## Nitrile gloves TopGrip



**Info:** Small dots provide a firm grip when handling wet objects.  
Water-repellent material on the palm side.  
EU certificate: Cat.2 / EN388

Art.-Nr.	Size	VE
98570310	10 XL	12

## Nitrile gloves AquaGrip





## Wallpaper trimmer and pressing ruler



**Info:** For perfect-fit wallpaper and carpet cuttings.  
Stainless steel cutting ruler for long-life durability.  
Three adjustment rims enable wallpapering on perfect fit or variable jutting out.

Art.-Nr.	Size	VE
95839944	58.5 cm	2

## Wallpaper Ruler



**Info:** Stainless steel. Plastic handle

Art.-Nr.	Size	VE
95830099	60 cm	10

## Wallpaper Smoother



**Info:** Plastic wallpaper smoother with 3 different smoothing edges allows for precise, intricate working.  
Suitable for vlies and fiberglass wallpapers.

Art.-Nr.	Size	VE
95881099	28 cm	12

## Wallpaper Smoother



**Info:** Plastic spatula with elastic edge for smoothing

Art.-Nr.	Size	VE
95880010	28 cm	10

## Wallpaper Brush



**Info:** Conformable wooden handle.  
Syntetic polypropilene bristles.

Art.-Nr.	Length	With	VE
95890010	300 mm	25 mm	12



**Info:** From soft polyurethane foam.  
For smoothing wallpapers.

Art.-Nr.	Diameter	Width	Frame	VE
95870199	45 mm	15 cm	6 mm	5



## Wallpaper Press on Roller



**Info:** From soft polyurethane foam.  
For smoothing wallpaper seams.

Art.-Nr.	Diameter	Width	Frame	VE
95860110	35 mm	45 mm	6 mm	5



## Wallpaper Seam Roller



**Info:** With hard plastic head.  
Grooved barrel-shape.

Art.-Nr.	Diameter	Width	Frame	VE
95875010	35 mm	45 mm	6 mm	5



## Wallpaper Seam Roller





## Snap-off Knife with magazine



**Info:** Ergonomic 2K plastic body.  
Metal blade guide and automatic blade fixing.  
Magazine with three replacement blades.

Art.-Nr.	Size	VE
95650999	9 mm	12

## Snap-off Knife with magazine



**Info:** Ergonomic 2K plastic body.  
Metal blade guide and automatic blade fixing.  
Magazine with eight replacement blades.

Art.-Nr.	Size	VE
95651599	18 mm	10

## Snap-off Knife



**Info:** Aluminium body.  
Metal blade guide and automatic blade fixing.

Art.-Nr.	Size	VE
95605199	9 mm	10

## Snap-off Knife



**Info:** Aluminium body.  
Metal blade guide and automatic blade fixing.

Art.-Nr.	Size	VE
95652099	18 mm	10

## Snap-off Knife



**Info:** Ergonomic 2K plastic body.  
Metal blade guide and automatic blade fixing.

Art.-Nr.	Size	VE
95651099	18 mm	10





**Info:** Plastic body.  
Metal blade guide and blade fixing screw knob

Art.-Nr.	Size	VE
95650099	18 mm	10

## Snap-off Knife



**Info:** Plastic body. Metal blade guide.

Art.-Nr.	Size	VE
95690010	18 mm	24

## Snap-off Knife



**Info:** Plastic body. Without metal blade guide.

Art.-Nr.	Size	VE
95620010	18 mm	48

## Snap-off Knife



**Info:** 10 pcs. in plastic dispenser box

Art.-Nr.	Width	Thickness	VE
95660299	9 mm	0.4 mm	10

## Spare Blades



**Info:** 10 pcs. in plastic dispenser box, blister pack

Art.-Nr.	Width	Thickness	VE
95670199	18 mm	0.4 mm	10

## Spare Blades





## Spare Blades



**Info:** 10 pcs. in plastic dispenser box, blister pack.  
Titan-Nitrite covered long life blades. 0,65 mm blade thickness

Art.-Nr.	Width	Thickness	VE
95679099	18 mm	0.65 mm	10

## Spare Blades



**Info:** 10 pcs. in plastic dispenser box

Art.-Nr.	Width	Thickness	VE
95670110	18 mm	0.4 mm	20

## Wallpaper Scissors



**Info:** Stainless steel.  
Two-component plastic handles for comfortable work

Art.-Nr.	Size	VE
95845099	28 cm	6





# Wood staining



Surface:

Info: Long-lasting nylon plush for high viscosity glazes.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	Info: 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86471099	10 cm	6 mm	17mm	10
<b>Roller</b>	Info: 3K handle 27 cm PowerMaster with 6 mm wire diameter			
86472799	10 cm	6 mm	17mm	5

## Paint Roller Nylon GreyGreen stripe

6 mm  17 mm  Ø 6 mm



Surface:

Info: Long-lasting nylon plush for high viscosity glazes.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	Info: For frames with 6 mm wire diameter.			
86471299	12 cm	6 mm	30mm	10
<b>Roller</b>	Info: 3K handle 27c m PowerMaster with 6 mm wire diameter			
86472899	12 cm	6 mm	30mm	5

## Paint Roller Nylon GreyGreen stripe

6 mm  30 mm  Ø 6 mm





# Wood staining

**E** COLOR<sup>®</sup>  
**EXPERT**



## Paint Roller Microfibre white

8 mm  17 mm  Ø 6 mm



Surface:       

**Info:** Suitable for woodstain, low viscosity materials, water-based paints. High paint absorption and maximum transfer.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86541099	10 cm	8 mm	17mm	10
<b>Roller</b>	<b>Info:</b> Standard 1K handle 27 cm with 6 mm wire diameter.			
86522899	10 cm	8 mm	17mm	10

## Paint Roller Microfibre white

8 mm  30 mm  Ø 6 mm



Surface:       

**Info:** Suitable for woodstain, low viscosity materials, water-based paints. High paint absorption and maximum transfer.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> For frames with 6 mm wire diameter.			
86541299	12 cm	8 mm	30mm	10
<b>Roller</b>	<b>Info:</b> Standard 1K handle 37 cm with 6 mm wire diameter.			
86523999	12 cm	8mm	30mm	10

## Paint Set Microfibre white

8 mm  30 mm  Ø 6 mm



8 mm  17 mm  Ø 6 mm



Surface:       

**Info:** Suitable for woodstain, low viscosity materials, water-based paints. High paint absorption and maximum transfer.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Roller</b>	<b>Info:</b> Standard 1K handle 27 cm with 6 mm wire diameter.			
86542799	12 cm	8 mm	30mm	10
<b>Painting set</b>	<b>Info:</b> Including paint tray, paint roller with plastik handle 27 cm and 6 mm wire diameter.			
86547099	10 cm	8 mm	17mm	1



<b>Surface:</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Info:</b> Suitable for woodstain, low viscosity materials, water-based paints. High paint absorption and maximum transfer.					

Art.-Nr.	Width	Pile height	Diameter	VE	
<b>Refill roller</b>	<b>Info:</b> For frames with 8 mm wire diameter.				
84551899	18 cm	8 mm	48mm	5	
<b>Roller</b>	<b>Info:</b> Standard 1K handle with 8 mm wire diameter.				
84555899	18 cm	8 mm	48mm	5	

## Paint Roller Microfibre white

8 mm 48 mm Ø 8 mm



<b>Surface:</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Info:</b> Suitable for woodstain, low viscosity materials, water-based paints. High paint absorption and maximum transfer.					

Art.-Nr.	Width	Pile height	Diameter	VE	
<b>Refill roller</b>	<b>Info:</b> For frames with 8 mm wire diameter.				
84552599	25 cm	8 mm	48mm	5	
<b>Roller</b>	<b>Info:</b> Standard 1K handle with 8 mm wire diameter.				
84557599	25 cm	8 mm	48mm	5	

## Paint Roller Microfibre white

8 mm 48 mm Ø 8 mm





# Wood staining

**E** COLOR<sup>®</sup>  
**EXPERT**



## Wall brush WoodStar



Surface:

**Info:** An innovative brush with a unique combination of natural bristles and synthetic fibres.  
Patented design created for demanding users.  
Convenient hook for attaching to the paint container.  
Long service life. Stainless steel ferrule.  
3K handle with special anti-slip grip zone



Art.-Nr.	Width	Height	Bristles length	VE
83162099	100 mm	30 mm	57 mm	6
83162299	120 mm	30 mm	57 mm	6
83161199	100 mm	30 mm	57 mm	6
83161399	120 mm	30 mm	57 mm	6

## Wall brush



Surface:

**Info:** Special bristle mix for wood stain, glaze, antiseptics and wood preservatives. Suitable also for water-based paints.  
Plastic handle. Stainless iron ferrule

Art.-Nr.	Width	Height	Bristles length	VE
83151099	100 mm	30 mm	44 mm	6
83151299	120 mm	30 mm	51 mm	6

## Professional Flat paint brush WoodStar



Surface:

**Info:** An innovative brush with a unique combination of natural bristles and synthetic fibres.  
Convenient hook for attaching to the paint container.  
Long service life. Stainless steel ferrule.  
3K handle with special anti-slip grip zone.



Art.-Nr.	Width	Height	Bristles length	VE
81524099	40 mm	15 mm	63 mm	6
81526099	60 mm	17 mm	70 mm	6
81528099	80 mm	18 mm	70 mm	6



# WoodStar

The long distance professional for all kinds of wood stains

- Up to 30% more coverage with built-in paint reservoir
- Patented in-house production for the DIY market
- New arrangement of bristles - for an exclusive stroking result

*There's a pro  
in everyone.*

## Artificial bristles mixture

High-tech bristle form a first-class finish and long service life.

## Stainless steel ferrule

Increased service life thanks to the stainless components.

## Paint reservoir made of natural bristles

30% higher coverage than comparable products

**PLUS**  
**30%**  
Range




**XpertErgo**



**XpertFinish**



**XpertSpeed**





# Wood staining

**E** COLOR<sup>®</sup>  
**EXPERT**



## Flat paint brush



Surface:

**Info:** For the application of wood preservatives, impregnations, primers, glazes, antiseptics. Blend of natural and synthetic bristles for perfect results. Stainless iron ferrule. FSC<sup>®</sup> certified hardwood handle



Art.-Nr.	Width	Height	Bristles length	VE
81534099	40 mm	15 mm	51 mm	12
81536099	60 mm	17 mm	57 mm	12
81538099	80 mm	18 mm	63 mm	6

## Flat paint brush

Surface:

**Info:** Special bristle mix for wood stain, glaze, antiseptics and wood preservatives. Suitable also for water-based paints. Plastic handle. Stainless iron ferrule



Art.-Nr.	Width	Height	Bristles length	VE
81463099	30 mm	12 mm	51 mm	12
81464099	40 mm	13 mm	51 mm	12
81465099	50 mm	14 mm	51 mm	12
81467099	70 mm	16 mm	51 mm	12
81469999	100 mm	18 mm	57 mm	12

## Paint brush set

Surface:

**Info:** For wood stain, glaze, antiseptics and wood preservatives. Suitable also for water-based paints. Mix of natural bristles and synthetic fibres for quality paint transfer to the surface. Plastic handle. Stainless iron ferrule. Flat brushes 30 and 50 mm, corner brush 35 mm, wall brush 100x30 mm.



Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82641099	30/50/35/100	12/13/8/30	51	1



Surface:



**Info:** Use with an extension pole or by hand.  
 Suitable for quick and easy application of decking oil, woodstain or other wood protective treatments. Smooth surface finish through the thin layer of paint. Perfect for all types of wooden decking, beams, boat docks etc.

## Paint edger



Art.-Nr.	Width	Height	VE
<b>Paint edger</b>	<b>Info:</b> Use with an extension pole or by hand.		
84843099	178 mm	85 mm	1
<b>Replacement pad</b>	<b>Info:</b> Paint edger replacement pad for art. 84843002		
84843199	178 mm	85 mm	1





# Varnishing



<b>Surface:</b> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>				
<b>Info:</b> Very fine surface finish with all lacquers. - Special processed pile structure.				
Art.-Nr.	Width	Pile Height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86610799	6 cm	5 mm	17 mm	10
<b>Roller</b>	<b>Info:</b> 3K handle 19 cm PowerMaster with 6 mm wire diameter			
86611999	6 cm	5 mm	17 mm	10

## Paint Roller Filt CoatStar

5 mm  17 mm  Ø 6 mm



<b>Surface:</b> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>				
<b>Info:</b> Very fine surface finish with all lacquers. - Special processed pile structure.				
Art.-Nr.	Width	Pile Height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86611099	10 cm	5 mm	17 mm	10
<b>Roller</b>	<b>Info:</b> 3K handle PowerMaster 27 cm with 6 mm wire diameter			
86612799	10 cm	5 mm	17 mm	5

## Paint Roller Filt CoatStar

5 mm  17 mm  Ø 6 mm



<b>Surface:</b> <input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>				
<b>Info:</b> Very fine surface finish with all lacquers. - Special processed pile structure.				
Art.-Nr.	Width	Pile Height	Diameter	VE
<b>Roller</b>	<b>Info:</b> Standard 1K handle with 6 mm wire diameter.			
86612899	10 cm	5 mm	15 mm	10
<b>Painting set</b>	<b>Info:</b> Suitable for lacquering works on small surfaces. Including paint tray, paint roller with plastik handle 27 cm and 6 mm wire diameter, and 2 refills			
86112099	10 cm	-	17 mm	1

## Paint Roller Filt CoatStar

5 mm  15 mm  Ø 6 mm





## Paint Roller Filt CoatStar

5 mm  30 mm  Ø 6 mm



Surface:      

Info: For all lacquers. Special polyester plush for permanent smooth application.

Art.-Nr.	Width	Pile Height	Diameter	VE
Refill roller	Info: For frames with 6 mm wire diameter.			
86613099	12 cm	5 mm	30 mm	5

## Paint Roller Refill Filt CoatStar

5 mm  41 mm  Ø 8 mm



Surface:      

Info: For all types of lacquers.  
Special polyester plush for fine smooth coating.

Art.-Nr.	Width	Pile Height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84252599	25 cm	5 mm	41 mm	5

## Paint Roller Filt CoatStar

5 mm  41 mm  Ø 6 mm



Surface:      

Info: For all types of lacquers.  
Special polyester plush for fine smooth coating.

Art.-Nr.	Width	Pile Height	Diameter	VE
Roller	Info: Standard 1K handle with 6 mm wire diameter.			
84751599	15 cm	5 mm	41 mm	1






Surface:

**Info:** Smooth and bubble-free application due to the concave ends. Specially enhanced foam structure for optimal lacquer delivery. Greater coating width compared to conventional curvatures.

Art.-Nr.	Width	Pile Height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86720799	7 cm	-	35 mm	10
<b>Roller</b>	<b>Info:</b> 3K handle PowerMaster 19 cm with 6 mm wire diameter			
86721999	7 cm	-	35 mm	5

## Superfine foam paint roller EvoStar

35 mm Ø 6 mm




Surface:

**Info:** Smooth and bubble-free application due to the concave ends. Specially enhanced foam structure for optimal lacquer delivery. Greater coating width compared to conventional curvatures.

Art.-Nr.	Width	Pile Height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86721199	11 cm	-	35 mm	10
<b>Roller</b>	<b>Info:</b> 3K handle PowerMaster 27 cm with 6 mm wire diameter			
86722799	11 cm	-	35 mm	5

## Superfine foam paint roller EvoStar

35 mm Ø 6 mm





## Fine foam paint roller

35 mm Ø 6 mm



Surface:

Info: Suitable for solvent-based lacquers. Fine surface finish.

Art.-Nr.	Width	Pile Height	Diameter	VE
<b>Refill roller</b>	Info: 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86703099	5 cm	-	35 mm	10
<b>Roller</b>	Info: Standard 1K handle 19 cm with 6 mm wire diameter.			
86960599	5 cm	-	35 mm	10

## Fine foam paint roller

35 mm Ø 6 mm



Surface:

Info: Suitable for solvent-based lacquers. Fine surface finish.

Art.-Nr.	Width	Pile Height	Diameter	VE
<b>Refill roller</b>	Info: 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86707199	11 cm	-	35 mm	10
<b>Roller</b>	Info: Standard 1K handle 27 cm with 6 mm wire diameter.			
86841199	11 cm	-	35 mm	10
<b>Painting set Foam</b>	Info: Suitable for lacquering works on small surfaces. Including standart paint roller with handle 27 cm and paint tray.			
86901199	11 cm	-	35 mm	1

## Paint Roller Nylon

7 mm 17 mm Ø 6 mm



Surface:

Info: Highly durable textured nylon fibre cover. -  
For highly viscous materials, solvent- and water-based  
floor varnishes.

Art.-Nr.	Width	Pile Height	Diameter	VE
<b>Refill roller</b>	Info: For frames with 6 mm wire diameter.			
86350999	10 cm	7 mm	17 mm	10
<b>Roller</b>	Info: Standard 1K handle 27 cm with 6 mm wire diameter.			
86292999	10 cm	7 mm	17 mm	10





Surface:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Info:	For highly viscous materials, water- and solvent-based lacquers. Highly durable plush made of textured nylon fibres.				

Art.-Nr.	Width	Pile Height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84312599	25 cm	7 mm	41 mm	5

## Paint Roller Refill Nylon



7 mm  41 mm  Ø 8 mm



Surface:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Info:	Highly durable plush made of textured nylon fibres. For highly viscous materials and two-component epoxy floor coatings.				

Art.-Nr.	Width	Pile Height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84302699	25 cm	12 mm	41 mm	5

## Paint Roller Refill Nylon

12 mm  41 mm  Ø 8 mm



Surface:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Info:	For water-based lacquers.				

Art.-Nr.	Width	Pile Height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84412510	25 cm	8 mm	48 mm	5

## Polyacrylic Paint Roller Refill

8 mm  48 mm  Ø 8 mm



Surface:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Info:	Suitable for solvent-based lacquers. Fine surface finish.				

Art.-Nr.	Width	Pile Height	Diameter	VE
Refill roller	Info: For frames with 6 mm wire diameter.			
86501010	10 cm	4 mm	15 mm	10

## Paint Roller Refill Velour

4 mm  15 mm  Ø 6 mm



Surface:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Info:	Suitable for solvent-based lacquers. Fine surface finish.				

Art.-Nr.	Width	Pile Height	Diameter	VE
Refill roller	Info: For frames with 6 mm wire diameter.			
86511010	10 cm	4 mm	30 mm	10

## Paint Roller Refill Velour

4 mm  30 mm  Ø 6 mm





## Wall brush UniStar

**Surface:**

**Info:** For all lacquers. Special mix of synthetic bristles. Chemically treated bristles provide the best result of painting and varnishing - even for inexperienced users. Comfortable work with ergonomic 3K handle with special anti-slip grip zone. Stainless iron ferrule. Hook - for conveniently placing the brush on the can.

Art.-Nr.	Width	Height	Bristles length	VE
83172099	100 mm	30 mm	64 mm	6
83172299	120 mm	30 mm	64 mm	6
83171099	100 mm	30 mm	64 mm	6
83171299	120 mm	30 mm	64 mm	6

## Flat paint brush UniStar

**Surface:**

**Info:** For all lacquers. Special mix of synthetic bristles. Chemically treated bristles provide the best result of painting and varnishing - even for inexperienced users. Stainless iron ferrule. 3K handle with special anti-slip grip zone.

Art.-Nr.	Width	Height	Bristles length	VE
81513099	30 mm	14 mm	51 mm	6
81514099	40 mm	15 mm	57 mm	6
81516099	60 mm	17 mm	63 mm	6
81518099	80 mm	19 mm	69 mm	6

## Flat paint brush UniStar

**Surface:**

**Info:** Suitable for water- and solvent-based lacquers and glaze. Mix of synthetic bristles. Stainless iron ferrule. FSC® certified hard wood handle.

Art.-Nr.	Width	Height	Bristles length	VE
81183199	30 mm	12 mm	51 mm	12
81185199	50 mm	13 mm	57 mm	12
81187199	70 mm	16 mm	57 mm	12
81189999	100 mm	16 mm	57 mm	6



Surface:

Info: Suitable for solvent-based lacquers. Mix of bristles.  
Plastic handle. Stainless iron ferrule

Art.-Nr.	Width	Height	Bristles length	VE
81343099	30 mm	12 mm	64 mm	12
81344099	40 mm	13 mm	64 mm	12
81345099	50 mm	14 mm	64 mm	12
81347099	70 mm	16 mm	64 mm	12

## Flat paint brush



Surface:

Info: White-grey mix of synthetic bristles.  
Flat paint brush 70 mm with 1K plastic handle.  
Wall brush 30x100 mm, 3K handle.  
Wall brush 30x120 mm, 3K handle.

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82683099	70/100/120	-	-	10

## Paint brush set 3 pcs.



Surface:

Info: Synthetic bristles.  
Wooden handle.

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82680599	30/50/70	-	-	10

## Flat paint brush set



Surface:

Info: 3 pcs., white Chinese bristles. Aluminium ferrule.  
FSC® certified wooden handle.

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82610299	10/12/14	-	-	10

## Universal enamel brush set



Surface:

Info: 3 pcs., pony hair bristles. Aluminium ferrule.  
FSC® certified wooden handle.

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82610699	4/6/8	-	-	10

## Artistic paint brush set





# Painting walls



Surface:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Info:	Endless thread, 3 red stripes. Suitable for wall and facade paints. Very fine surface finish. Long-life. High paint absorption and transfer. Lint-free. Easy to clean.				

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84721899	18 cm	12 mm	54 mm	1
84722599	25 cm	12 mm	54 mm	1

## Polyamide Paint Roller Refill WallStar

12 mm 54 mm  $\varnothing$  8 mm



Surface:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Info:	Endless thread, 3 red stripes. Suitable for wall and facade paints. Very fine surface finish. Long-life. High paint absorption and transfer. Lint-free. Easy to clean.				

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84731899	18 cm	18 mm	54 mm	1
84732599	25 cm	18 mm	54 mm	1

## Polyamide Paint Roller Refill WallStar

18 mm 54 mm  $\varnothing$  8 mm




Surface:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Info:	Endless thread, 3 red stripes. Suitable for wall and facade paints. Very fine surface finish. Long-life. High paint absorption and transfer. Lint-free. Easy to clean.				

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84742699	25 cm	18 mm	60 mm	1

## Polyamide padded Paint Roller Refill WallStar

25mm 60mm  $\varnothing$  8 mm





## Polyamide Paint Roller WallStar

12 mm  17 mm  Ø 6 mm



Surface: 

**Info:** Endless thread, 3 red stripes. Suitable for wall and facade paints. Very fine surface finish. Long-life. High paint absorption and transfer. Lint-free. Easy to clean.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86421099	10 cm	12 mm	17 mm	10
<b>Roller</b>	<b>Info:</b> 3K handle PowerMaster 27 cm with 6 mm wire diameter.			
86422999	10 cm	12 mm	17 mm	5

## Polyamide Paint Roller WallStar

12 mm  30 mm  Ø 6 mm



Surface: 

**Info:** Endless thread, 3 red stripes. Suitable for wall and facade paints. Very fine surface finish. Long-life. High paint absorption and transfer. Lint-free. Easy to clean.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> For frames with 6 mm wire diameter.			
86423099	12 cm	12 mm	30 mm	10
<b>Roller</b>	<b>Info:</b> 3K handle PowerMaster 27 cm with 6 mm wire diameter.			
86422899	12 cm	12 mm	30 mm	5

## Polyamide Paint Roller WallStar

18 mm  30 mm  Ø 6 mm



Surface: 

**Info:** Endless thread, 3 red stripes. Suitable for wall and facade paints. Very fine surface finish. Long-life. High paint absorption and transfer. Lint-free. Easy to clean.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> For frames with 6 mm wire diameter.			
86661299	12 cm	18 mm	30 mm	10
<b>Roller</b>	<b>Info:</b> 3K handle PowerMaster 27 cm with 6 mm wire diameter.			
86552799	12 cm	18 mm	30 mm	5



Surface:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Info:	For wall and facade paints. High quality plush made from a mix of polyester fibres. Uniform paint transfer to the surface and high performance.					

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84751999	18 cm	12 mm	54 mm	5
84752699	25 cm	12 mm	54 mm	5

## Paint Roller Refill Polyester GreyRed stripe

12 mm  54 mm  Ø 8 mm



Surface:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Info:	For wall and facade paints. High quality plush made from a mix of polyester fibres. Uniform paint transfer to the surface and high performance.					

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84751899	18 cm	18 mm	54 mm	5
84752599	25 cm	18 mm	54 mm	5

## Paint Roller Refill Polyester GreyRed stripe



18 mm  54 mm  Ø 8 mm



Surface:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Info:	For wall and facade paints. High quality plush made from a mix of polyester fibres. Uniform paint transfer to the surface and high performance.					

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84752499	25 cm	18 mm	60 mm	1

## Paint Roller Refill Polyester GreyRed stripe padded

18 mm  60 mm  Ø 8 mm





## Paint Roller polyester RedGrey stripes

12 mm  15 mm  Ø 6 mm



12mm  30 mm  Ø 6 mm



Surface:      

**Info:** Standard coating with excellent paint transfer results. Continuous filament for a fine finish without loose fibres.  
For smooth walls.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86621099	10 cm	12 mm	15 mm	10
<b>Roller</b>	<b>Info:</b> Standard 1K handle 27 cm with 6 mm wire diameter.			
86622799	10 cm	12 mm	15 mm	10
<b>Set</b>	<b>Info:</b> Standard 1K handle 27 cm with 6 mm wire diameter. 3 pcs set. For smooth walls.			
86624099	12 cm	12 mm	30 mm	1

## Paint Roller polyester RedGrey stripes

18mm  30 mm  Ø 6 mm



Surface:        

**Info:** Standard coating with excellent paint transfer results. Continuous filament for a fine finish without loose fibres.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> For frames with 6 mm wire diameter. For rough walls.			
86623099	12 cm	18 mm	30 mm	10
<b>Roller</b>	<b>Info:</b> Standard 1K handle 27 cm with 6 mm wire diameter. For rough walls.			
86622899	12 cm	18 mm	30 mm	10









Surface: <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				
Info: For wall and facade paints. For smooth surfaces. High paint absorption and transfer. Leaves no lint on the surface.				
Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller Info: For frames with 8 mm wire diameter.				
85321899	18 cm	12 mm	48 mm	5
Roller Info: Standard 1K handle with 8 mm wire diameter.				
85335899	18 cm	12 mm	48 mm	5



## Polyester Paint Roller Silver stripe

12 mm  48 mm  Ø 8 mm



Surface: <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				
Info: For wall and facade paints. For smooth surfaces. High paint absorption and transfer. Leaves no lint on the surface.				
Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller Info: For frames with 8 mm wire diameter.				
85322599	25 cm	12 mm	48 mm	5
Roller Info: Standard 1K handle with 8 mm wire diameter.				
85337599	25 cm	12 mm	48 mm	10

## Polyester Paint Roller Silver stripe

12 mm  48 mm  Ø 8 mm



Surface: <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				
Info: For wall and facade paints. For rough surfaces. High paint absorption and transfer. Leaves no lint on the surface.				
Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller Info: For frames with 8 mm wire diameter.				
85331899	18 cm	18 mm	48 mm	10
85332599	25 cm	18 mm	48 mm	10

## Polyester Paint Roller Refill Silver stripe

18 mm  48 mm  Ø 8 mm





## Polyester Paint Roller Refill Silver stripe padded

18mm  52 mm  Ø 8 mm



Surface:        

**Info:** For wall and facade paints. For coarse surfaces.  
High paint absorption and transfer.  
Leaves no lint on the surface.

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	<b>Info:</b> For frames with 8 mm wire diameter.			
85342599	25 cm	18 mm	52 mm	5

## Paint Roller Polyester Silver stripe

12 mm  15 mm  Ø 6 mm



Surface:        

**Info:** Standard coating with excellent paint transfer results. Continuous filament for a fine finish without loose fibres.  
For smooth walls.

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	<b>Info:</b> 2 pcs. in a pack. For frames with 6 mm wire diameter.			
86451099	10 cm	12 mm	15 mm	10
Roller	<b>Info:</b> Standard 1K handle 27 cm with 6 mm wire diameter.			
86452999	10 cm	12 mm	15 mm	10

## Paint Roller polyester Silver stripe

12mm  30 mm  Ø 6 mm



Surface:        

**Info:** Standard coating with excellent paint transfer results. Continuous filament for a fine finish without loose fibres.  
Ideal for small areas with smooth substrate.

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	<b>Info:</b> For frames with 6 mm wire diameter.			
86463099	12 cm	12 mm	30 mm	10
Roller	<b>Info:</b> Standard 1K handle 27 cm with 6 mm wire diameter.			
86453999	12 cm	12 mm	30 mm	10
Set	<b>Info:</b> Including paint tray, paint roller with plastic handle 27 cm with 6 mm wire diameter.			
86425099	12 cm	12 mm	30 mm	1



Surface:

**Info:** Standard coating with excellent paint transfer results. Continuous filament for a fine finish without loose fibres.  
Ideal for small areas with rough substrate.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> For frames with 6 mm wire diameter.			
86581299	12 cm	18 mm	30 mm	10
<b>Roller</b>	<b>Info:</b> Standard 1K handle 37 cm with 6 mm wire diameter.			
86581099	12 cm	18 mm	30 mm	10

## Polyester Paint Roller Silver stripe

18 mm 30 mm Ø 6 mm



Surface:

**Info:** Standard coating with excellent paint transfer results. Continuous filament for a fine finish without loose fibres.

Art.-Nr.	Width	Pile height	Diameter	VE
<b>Refill roller</b>	<b>Info:</b> Standard 1K handle 27 cm with 6 mm wire diameter.			
86582799	10 cm	18 mm	17 mm	10

## Paint Roller Polyester Silver stripe

18 mm 17 mm Ø 6 mm





## Paint Roller Refill Polyester Black stripe

12 mm  17 mm  Ø 6 mm



Surface:      

Info: High quality solvent-resistant polyester plush.  
For water- and solvent-based paints and varnishes.  
For smooth surfaces.

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	Info: For frames with 6 mm wire diameter.			
86401110	10 cm	12 mm	17 mm	100
86401610	15 cm	12 mm	17 mm	100

## Paint Roller Polyester

12 mm  48 mm  Ø 8 mm



Surface:      

Info: High quality polyester, solvent resistant.  
For water-based paints and solvent-based  
varnishes. For smooth and rough surfaces.

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84421810	18 cm	12 mm	48 mm	3
Roller	Info: Standard 1K handle with 8 mm wire diameter.			
84425810	18 cm	12 mm	48 mm	5

## Paint Roller Polyester

12 mm  48 mm  Ø 8 mm



Surface:      

Info: High quality polyester, solvent resistant.  
For water-based paints and solvent-based  
varnishes. For smooth and rough surfaces.

Art.-Nr.	Width	Pile height	Diameter	VE
Refill roller	Info: For frames with 8 mm wire diameter.			
84422510	25 cm	12 mm	48 mm	3
Roller	Info: Standard 1K handle with 8 mm wire diameter.			
84427510	25 cm	12 mm	48 mm	10



Surface:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Info: Ideal for painting into the corners.					

Art.-Nr.	Width	Pile height	Diameter	VE
86803999	-	11 mm	-	5

## Corner Paint Roller Polyester



Surface:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Info: For wall painting. Suitable for rough and coarse substrates.					

Art.-Nr.	Width	Pile height	Diameter	VE
85811910	18 cm	18 mm	40mm	5
Roller	Info: Fixed handle, 6 mm wire			

## Paint Roller Polyester

18mm  40mm  Ø 6 mm



Info: Rough foam structure. For creating special effects on plaster.					
---	--	--	--	--	--

Art.-Nr.	Width	Pile height	Diameter	VE
85881810	18 cm	-	75 mm	5
Roller	Info: Permanent fixed handle.			

## Foam Paint Roller





## Wall brush

**Surface:**

**Info:** Special bristle mix for excellent paint absorption and paint transfer.  
 Comfortable work with ergonomic.  
 Stainless iron ferrule.  
 Hook - for conveniently placing the brush on the can.  
 3K handle with special anti-slip grip zone

Art.-Nr.	Width	Height	Bristles length	VE
83142099	100 mm	30 mm	54 mm	6
83142299	120 mm	30 mm	54 mm	6
83141099	100 mm	30 mm	54 mm	6
83141399	120 mm	30 mm	54 mm	6


## Flat paint brush

**Surface:**

**Info:** Special bristle mix for excellent paint absorption and paint transfer.  
 Stainless iron ferrule.  
 3K handle with special anti-slip grip zone

Art.-Nr.	Width	Height	Bristles length	VE
81503099	30 mm	14 mm	44 mm	6
81504099	40 mm	15 mm	51 mm	6
81506099	60 mm	17 mm	57 mm	6
81508099	80 mm	18 mm	63 mm	6

## Flat paint brush

**Surface:**

**Info:** Mix of stabilised Chinese bristle, avoids swelling of the bristle.  
 Very good paint absorption and even paint release.  
 Stainless iron ferrule.  
 FSC® certified hard wood handle.

Art.-Nr.	Width	Height	Bristles length	VE
81193099	30 mm	12 mm	51 mm	12
81195099	50 mm	14 mm	51 mm	12
81197099	70 mm	16 mm	57 mm	6




Surface:

Info: Mix of bristles. Stainless iron ferrule.  
Plastic handle

Art.-Nr.	Width	Height	Bristles length	VE
81282099	20 mm	11 mm	38 mm	12
81283099	30 mm	12 mm	44 mm	12
81284099	40 mm	13 mm	44 mm	12
81285099	50 mm	14 mm	48 mm	12
81287099	70 mm	16 mm	51 mm	12
81289999	100 mm	18 mm	57 mm	6

## Flat paint brush



Surface:

Info: Mix of bristles. Wooden handle.  
Stainless steel ferrule.

Art.-Nr.	Width	Height	Bristles length	VE
81672599	25 mm	11 mm	44 mm	10
81674099	40 mm	11 mm	44 mm	10
81675099	50 mm	11 mm	51 mm	10
81676599	65 mm	12 mm	57 mm	10

## Corner brush



Surface:

Info: For simple painting works.  
Thanks to the punched construction, the bristles are securely locked in place and do not fall out.  
Plastic handle.

Art.-Nr.	Width	Height	Bristles length	VE
83691010	100 mm	30 mm	44 mm	24
83691210	120 mm	30 mm	44 mm	24
83691410	140 mm	40 mm	51 mm	24

## Wall brush punched



Surface:

Info: Designed to work with water-based paints, primers and bituminous mixtures, mastic, used for blurring and whitewashing ceilings, applying paste on wallpaper.  
Plastic handle. Wooden body.

Art.-Nr.	Width	Height	Bristles length	VE
83800710	170 mm	70 mm	70 mm	12

## Ceiling brush






## Flat paint brush for universal use



		<b>Surface:</b> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>			
		<b>Info:</b> Mix of bristles. Tin-plated ferrule. Lacquered wooden handle. For universal use.			
Art.-Nr.	Width	Height	Bristles length	VE	
81123010	30 mm	15 mm	44 mm	12	
81124010	40 mm	15 mm	44 mm	12	
81125010	50 mm	15 mm	44 mm	12	
81126010	60 mm	17 mm	51 mm	12	
81128010	80 mm	18 mm	51 mm	12	
81129910	100 mm	19 mm	57 mm	12	

## Flat paint brush



		<b>Surface:</b> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>			
		<b>Info:</b> Chinese bristles. Lacquered wooden handle. Tin-plated ferrule			
Art.-Nr.	Width	Height	Bristles length	VE	
81262510	25 mm	9 mm	38 mm	12	
81263510	35 mm	10 mm	38 mm	12	
81265010	50 mm	11 mm	38 mm	12	
81266010	60 mm	11 mm	44 mm	12	
81267510	75 mm	11 mm	44 mm	12	
81269910	100 mm	11 mm	51 mm	12	

## Flat paint brush set



		<b>Surface:</b> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>			
		<b>Info:</b> Mix of black bristles. Wooden handle. Stainless iron ferrule.			
Art.-Nr.	Width mm	Height mm	Bristles length mm	VE	
82600099	40/50/70	-	-	10	





<b>Surface:</b>					
<b>Info:</b>	For lacquering. Natural Chinese bristles. 60% tops. Lacquered wooden handle.				

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82664510	20/30/40/50	10/11/12/13	37/37/44/44	10

## Flat paint brush set



<b>Surface:</b>					
<b>Info:</b>	Mix of synthetic and black Chinese bristles at the ratio 70/30. Wooden handle. Stainless iron ferrule.				

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82600210	30/50/70	-	-	10

## Flat paint brush set



<b>Surface:</b>					
<b>Info:</b>	Black bristles. Mix of synthetic fibres and Chinese bristles at the ratio 70/30. Plastic handle with hook. Stainless iron ferrule				

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
83620710	70	20	57	10
83621010	100	20	57	6
83621210	120	35	57	6

## Wall brush



<b>Info:</b>	For low viscosity paints and adhesives. Lacquered steel. Hexagonal shank 8 mm.			
--------------	--	--	--	--

Art.-Nr.	Width	Length	Max Load	VE
94301017	60 mm	400 mm	10 kg	1
94301517	85 mm	400 mm	15 kg	1

## Mixer





## Roller handle for mini refills



Info: Plastic handle. Zinc plated steel wire.

Art.-Nr.	Width cm	Frame Diameter mm	Hadle- Length cm	VE
86011910	5	6	19	10
86002999	10	6	27	10
86003999	10	6	37	10

## Roller handle



Info: Plastic handle. Zinc plated steel wire.

Art.-Nr.	Width cm	Frame Diameter mm	Hadle- Length cm	VE
84001899	18	8	25	10
84002599	25	8	25	10

## Roller handle PowerMaster



Info: The most comfortable work with premium 3K handle and ergonomic anti-slip grip zone. Specially bent 8 mm zinc plated steel wire for optimal power transfer to the surface with lower effort. Suitable for all telescopic poles.

Art.-Nr.	Width cm	Frame Diameter mm	Hadle- Length cm	VE
84051799	18	8	25	10
84052699	18	8	25	10





**Info:** High quality plastic, heavy duty, specially shaped corners for practical paint emptying, structured rolling surface allows the painter to spread paint evenly on roller and remove the excess paint.

Art.-Nr.	Length cm	Width cm	VE
84801810	32	26	10
84802510	36	32	10

## Paint tray ComfortStar



**Info:** For one-time use. Suitable for paint tray no. 84801810. 3 pcs. in a pack

Art.-Nr.	Length cm	Width cm	VE
84802610	32	26	10



## Paint tray inlay



**Info:** High quality plastic, heavy duty, specially shaped corners for practical paint emptying, structured rolling surface allows the painter to spread paint evenly on roller and remove the excess paint.

Art.-Nr.	Length cm	Width cm	VE
84801110	32	15	10



## Paint tray ComfortStar



**Info:** For one-time use. Suitable for paint tray no. 84801110. 3 pcs. in a pack

Art.-Nr.	Length cm	Width cm	VE
84801410	29	14	10



## Paint tray inlay




**Info:** Heavy duty design. Holds a large amount of paint.

Art.-Nr.	Length cm	Width cm	VE
84803010	50	34	5



## Paint tray Extra





## Paint cup ExpertCup



**Info:** Practical capacity for universal paint. With a built-in surface for removing excess paint from a roller or brush. Protection from spillage of paint due to high sides.

Art.-Nr.	Size l	VE
84835010	2	5

## Paint bucket



**Info:** For filling and mixing paint. With measuring scale and structured area for rolling paint off a roller. Specially shaped nose for easy draining of paint residues. Plastic, metal wire handle

Art.-Nr.	Size l	VE
84820810	8	5
84821410	12	5

## Telescopic extension pole



**Info:** Steel, lacquered. Diameter 25 mm  
Click cone. Internal fixing.

Art.-Nr.	Length cm	Diameter mm	VE
84911310	80-130	25	10
84912010	115-200	25	10
84913010	165-300	25	10

## Telescopic extension pole



**Info:** Aluminium. Diameter 25 mm  
Standard cone. Internal fixing.

Art.-Nr.	Length cm	Diameter mm	VE
84920010	115-200	25	6






# Promo items



<b>Surface:</b> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>				
<b>Info:</b> For wall painting. Fixed handle. In a practical box, suitable for direct sales.				
Art.-Nr.	Width	Pile height	Diameter	VE
<b>Roller</b> <b>Info:</b> For frames with 8 mm wire diameter.				
84497715	25 cm	12 mm	44mm	20

## Paint Roller Polyester

12 mm  44 mm  Ø 8 mm



<b>Surface:</b> <input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>				
<b>Info:</b> For wall and façade painting. In a practical box, suitable for direct sales.				
Art.-Nr.	Width	Pile height	Diameter	VE
<b>Roller</b> <b>Info:</b> Fixed handle.				
84668115	18 cm	18 mm	41mm	20

## Paint Roller Polyester GreyRed stripe

18 mm  41 mm  Ø 6 mm



<b>Surface:</b> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>				
<b>Info:</b> Special polyester for more fine surface finish. With minimal linting and splattering.				
Art.-Nr.	Width	Pile height	Diameter	VE
<b>Roller</b> <b>Info:</b> For wall painting. For smooth and rough surfaces.				
84664815	18 cm	12 mm	41mm	20
84497515	25 cm	12 mm	44mm	20

## Paint Roller Polyester



<b>Surface:</b> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				
<b>Info:</b> For applying of wood protection materiales.				
Art.-Nr.	Width	Pile height	Diameter	VE
<b>Set</b> <b>Info:</b> 18 cm paint roller. Paint tray 26x32 cm.				
85951815	18 cm	9 mm	41 mm	20


## Painting set Microfibre

9 mm  41 mm  Ø 8 mm



# Promo items

## Painting set microfibre 4 pcs.



Surface:

Info: Paint roller with plastic handle.  
3x refills microfibre, brown stripes

Art.-Nr.	Width	Pile height	Diameter	VE
84603915	18 cm	9 mm	48 mm	20

## Painting set




Surface:

Info: Suitable for lacquering and painting works on small surfaces.  
Including  
- 2 pcs. mini refill polyester 10 cm,  
- 2 pcs. mini refill fine foam 11 cm,

Art.-Nr.	Width	Pile height	Diameter	VE
Set	Info: 1K plastik handle with 6 mm wire diameter - paint tray			
86950815	10/11 cm	9 mm	-	1

## Painting set polyacrylic mix



Surface:

Info: Polyester/polyacrylic plush padded.  
25 cm paint roller.

Art.-Nr.	Width	Pile height	Diameter	VE
Set	Info: Roller handle, telescopic pole 2 m			
84539115	25 cm	18 mm	60 mm	10



# Promo items

Surface:			
Info:	Plastic handle. Black Chinese bristle. Stainless iron ferrule.		

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82600415	30/50/70	-	-	20

## Flat paint brush set



Surface:			
Info:	80% black Chinese bristles. 3 x flat paint brush 1 x wall brush		

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82600815	30/50/70/100	-	-	10

## Paint brush set - 4 pcs.



Surface:			
Info:	For universal use. Mix of synthetic fibres to prevent brushes from swelling. Thanks to the punched construction, the bristles are securely locked in place and do not fall out. Flat brushes 20, 25 and 35 mm, round brushes no. 2 and 4. FSC® certified natural wood handle		

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82620515	20/25/35 #2/4	-	-	10

## Punched brushes set for painting



Surface:			
Info:	Natural bristles Wooden handle		

Art.-Nr.	Width mm	Height mm	Bristles length mm	VE
82615052	-	-	-	10

## Artistic paint brush set





[www.color-expert.com](http://www.color-expert.com)

